



# **HSM AK 807**

## **Channel baling press HSM AK 807**

For industrial applications with small material loads - Troughput up to approx.  $36 \text{ m}^3\text{/h}$ 

## **Technical data**

Order number:	6424000	Loading aperture width x Loading aperture length:	450 x 710 mm
Pressing power:	82 kN		
Specific pressing power:	32,8 N/cm <sup>2</sup>	Bale width x Bale height	500 x 500 x 400-800 mm
Driving power:	4 kW	x Bale length:	
Voltage / Frequency:	400 V / 50 Hz	Length x Width x Height:	3940 x 1140 x 1310 mm
Cycle time when idling vacío:	17,6 s	Weight:	1 t
		Type of consumables:	Strapping tape
Volume throughput in idle operation (theor.):	36 m³/h	Press material:	Plastic film, Mixed paper, Cardboard
Volume throughput at 50kg/m³ (theor.):	1.8 t/h		

## **Product information**



Mainly compresses cardboard and light paper



Manual bale strapping with continuous polyester tape



Integration into automated industrial production processes





**System solution** 

Integration into automated industrial production processes.



#### **Continuous loading**

Suitable for continuous loading with conveyor belt, air feeding or similar.



#### **Compact bales**

The bales can be stacked and are easy to transport.



## **Automatic operation**

Control of the pressing process via light barrier.



## **Operating side**

Can be fully integrated into existing workflows and processes. Operating side can be selected.



### Sturdy design

Very low space requirement thanks to compact and sturdy design.



